ANSI T11 FIBRE CHANNEL STANDARDS AND PRODUCTS

Mike Dorsett

Systems Engineer
Electronics Systems - Networks
Phantom Works
Boeing Information, Space & Defense Systems
April 30, 1998




TOPICS

- What is Fibre Channel?
- Who is developing Fibre Channel?
- Fibre Channel Projects and Status
- OS-JTF SORTI Overview/Development
- Fibre Channel in Avionics Today



WHAT IS FIBRE CHANNEL?





TODAY'S FASTEST NETWORK


Unbeatable

- Performance
- Connectivity
- Flexibility

Topologies

- Point to point
- Loop
- Hub
- Switched
- Hybrid

Heterogeneous Environment






OVERVIEW

Layered Structure


- Technology independent
- Room for growth
- Developed by accredited standards body






OVERVIEW






133Mbps 266Mbps 533Mbps 1.06Gbps **2.13Gbps 4.26Gbps** Copper **Fiber**

FC-1, 8B/10B Encoding




Proven Robust **Delimiters** Ordered Sets

FC-2, Framing and Protocol



FC-4, Upper Layer Protocols





Interoperable Solutions



MULTIPLE TOPOLOGIES







CLASSES OF SERVICE

Class 1

- Guaranteed Bandwidth, Delivery, and Latency
- Connection Service
- End-to-end Flow Control
- In-order Delivery

Class 2

- Guaranteed Delivery
- Connectionless Service
- Buffer-to-buffer flow control

Class 3

- Datagrams
- Connectionless Service



CLASSES OF SERVICE

Class 4

- Fractional Bandwidth
- Guaranteed Bandwidth, Delivery, and Latency
- Connection Service
- End-to-end Flow Control
- In-order Delivery

Class 6

- Multicast
- Guaranteed Bandwidth, Delivery, and Latency
- Connection Service
- End-to-end Flow Control
- In-order Delivery





WHO IS DEVELOPING FIBRE CHANNEL?

ANSI Technical Committee T11 - 82 member companies

- Task Group T11.2 Fibre Channel Physical Variants
- Task Group T11.3 Fibre Channel Interconnection Schemes
- Task Group T11.4 Fibre Channel Protocol Mappings

Fibre Channel Association (FCA) - 60 principal members

- Industry Trade Group
- Promoting Development of all Fibre Channel Markets and Products

Fibre Channel Loop Community (FCLC)

- Industry Trade Group
- Promoting Development of Fibre Channel Markets and Products based on Fibre Channel loop variants



T11 DOCUMENT STATUS

Approved ANSI Standards

FC-AL

FC-FG

FC-FP

FC-GS

FC-LE

FC-PH

FC-PH-2

FC-SB

Arbitrated Loop

Fabric Generic

Generic Services

Single-Byte Cmd

Set - SCSI

ANSI X3.272:1996

ANSI X3.289:1996

HIPPI-FP Mapping ANSI X3.254:1994

ANSI X3.288:1996

Link Encapsulation ANSI X3.287:1996

Physical Interface ANSI X3.230:1994

PH Enhancements ANSI X3.297:1997

ANSI X3.271:1996



STATUS

Projects at NCITS* for approval

FC-AL-2 AL Enhancements Rev 6.10:1998
FC-FLA Fabric Loop Attach Rev 2.70:1998
FC-PH-3 PH Enhancements Rev 9.40:1998
FC-PLDA Private Loop Direct Rev 2.10:1998
Attach
FC-SW Switch Fabric Rev 3.30:1998

*National Committee for Information Technology Standards (NCITS), formerly ANSI X3



STATUS

Projects in development phase

FC-AE	Avionics Environment	Rev 0.40
FC-AV	Audio/Visual	Rev 0.80
FC-BB	Backbone	Rev 0.10
FC-CU TR	Copper Implementation	Rev 0.30
	Technical Report	
FC-GS-2	GS Enhancements	Rev 5.00
FC-SL	Slotted Loop	Rev 4.00
FC-MJS	Methodology of Jitter	Rev 1.00
	Specification	



STATUS

New Project Proposals

FC-AL-3 AL Enhancements

FC-FS Framing and Signaling Enhancements

(combine FC-1 and FC-2 layers from

FC-PH, PH-2, and PH-3 in 1 doc)

FC-MJS-2 MJS Enhancements

FC-SW-2 SW Enhancements

FC-TAPE Tape Profile Technical Report

FC-VI Virtual Interface Architecture

Mapping



FC PRODUCT STATUS

Multiple sources for FC products

- Cables
- Connectors
- Converters
- Host Adapters
- Hubs
- IC-Protocol Chips
- IC-Transceivers

- Internetworking
- Servers
- Software
- Storage Devices
- Storage Systems
- Switches



OS-JTF SORTI OVERVIEW

Avionics Bottlenecks Problem

Communications Limitations Driving Complex, Non-scalable, High Cost Architectures

Solution

Utilize Standard, High-BW, Serial Interconnect SCALABLE OPTICAL REAL-TIME INTERCONNECT (SORTI)

Customer Goals:

Lower Cost, Higher Performance Reduced Maintenance/ Increased Reliability Scaleable Architecture Open Architecture Standard Interconnect

Significant Improvements:

Simpler Bus Interconnect
Reduced I/O Connector Pin Count
Reduced Interconnect Failure (~1% of all LRU failures)
Up to 100 Meters Backplane Length
16 to 32 Gigabits/Second Bandwidth + Lower EMI Susceptibility

Integrated EO/IR System	Photonic	Super Proce Cente	ssing
Integrated EO/IR System	Avionics Bus	COCKPIT D SPLAYS legrated thible ar seement seeming to the seeming seeming to the seeming seeming to the seeming seeming seeming to the seeming seemi	
Integral ad RF System		AS) E Photonic Port(s)	Network Arch.
creased Reliability	Size, Wt, Pwr/ Unit Bandwidth	2*	1*


Size, Wt, Pwr/ Unit Bandwidth	2*	1*
I/O Density	400	<60
Reliability/ Failure Rate	~24%**	~1%
Bus Length	0.5M	100M
Performance	100MBps	1000+ MBps
EML	Susceptible	Immune

*- Normalized
**- % of all LRU Failures



FOLLOW-ON STATUS

SORTI Switch Module




- Leverage BOIS IR&D Technical Developments
- Key Integrating
 Element for
 Processing Network

SORTI FY98 Follow-on Development

16 x 16 Single-board Switch

- New ASICs Fabrication
- No Daughtercard
- 6U VME Form-factor
- Full-Featured, Real-Time Fibre Channel
- 1 Gigabaud





Switch Test & Demonstration Approach

SORTI FY99-00 Follow-on

16 x 16 Flight Qualifiable Unit

- No New ASICs
- SEM E or 6U VME
- Full-Featured,
 Real-Time Fibre Channel
- 1 Gigabaud
- Flight Test Operational Capability in Representative F-15/18 Mission Application



FC AVIONICS APPLICATIONS

AH-64D Apache Longbow

- Digital Video Interface (DVI) flight tested
- Multiyear II "Mission Processor" Interconnect -FY2002

F/A-18 Bold Stroke

- COSSI Mission Computer Interface flight test
 7/99
- Advanced Mission Computer and Displays (AMCD) - flight test 8/99





FC AVIONICS APPLICATIONS

AWACS Extend Sentry

• Fibre Channel switched LAN - flight test 5/98

B1-B Block E Computer Upgrade

 FC-AL based interface between avionics computer and data storage/transfer devices

WRAP-UP

Fibre Channel is a mature, open family of standards developed and actively updated/enhanced by an accredited standards body. The layered structure of the standard provides the technology independence necessary to ensure that Fibre Channel can grow as the market needs grow. Through the support of the FCA and FCLC trade associations, the standards are being publicized and Fibre Channel products are readily available from multiple sources.



Info on the Web

T11 Home Page - http://www.dpt.com/T11/

FCA Home Page - http://www.fibrechannel.com

CERN Fibre Channel Home Page - http://www.cern.cs/HSI/fcs

